- 33. (Previously amended) A pharmaceutical composition comprising the compound of claim 32 and a pharmaceutically acceptable excipient.
  - 34-48. Cancelled.
- 49. (Currently amended) A method of treating malaria in a subject which comprises administering to the subject a therapeutically effective amount of the <u>a</u> compound <del>of claim 32</del> having the following structural formula:

- 50. (Original) The method of claim 49 and further comprising administering an antimalarial.
- 51. (Previously added) The method of claim 50, wherein the antimalarial is selected from the group consisting of 8-aminoquinoline, amodiaquine, arteether, artemether, artemsinin, artesunate, artesunic acid, artelinic acid, atovoquone, azithromycine, biguanide, chloroquine, chloroquine phosphate, chlorproguanil, cycloguanil, dapsone, desbutyl halofantrine, desipramine, doxycycline, dihydrofolate reductase inhibitors, dipyridamole, halofantrine, haloperidol, hydroxychloroquine sulfate, imipramine, mefloquine, penfluridol, phospholipid inhibitors, primaquine, proguanil, pyrimethamine, pyronaridine, quinine, quinidine,
- 52. (Currently amended) The pharmaceutical composition of claim 33 57 and further comprising an antimalarial.
- 53. (Previously added) The pharmaceutical composition of claim 52, wherein the antimalarial is selected from the group consisting of 8-aminoquinoline, amodiaquine, arteether,

artemether, artemsinin, artesunate, artesunic acid, artelinic acid, atovoquone, azithromycine, biguanide, chloroquine, chloroquine phosphate, chlorproguanil, cycloguanil, dapsone, desbutyl halofantrine, desipramine, doxycycline, dihydrofolate reductase inhibitors, dipyridamole, halofantrine, haloperidol, hydroxychloroquine sulfate, imipramine, mefloquine, penfluridol, phospholipid inhibitors, primaquine, proguanil, pyrimethamine, pyronaridine, quinine, quinidine, quinacrineartemisinin, sulfonamides, sulfones, sulfadoxine, sulfalene, tafenoquine, tetracycline, tetrandine, triazine, and derivatives thereof

- 54. (Currently amended) A method of treating malaria in a subject which comprises administering to the subject a therapeutically effective amount of the pharmaceutical composition of claim 33 57.
- 55. (Previously added) A method of treating malaria in a subject which comprises administering to the subject a therapeutically effective amount of the pharmaceutical composition of claim 52.
- 56. (Previously added) A method of treating malaria in a subject which comprises administering to the subject a therapeutically effective amount of the pharmaceutical composition of claim 53.
- 57. (New) A pharmaceutical composition comprising a compound having the following structural formula:

and a pharmaceutically acceptable excipient.